PSL TRAILER SALES, INC.

Phone: 4103352218 11210 Pulaski Hwy White Marsh, MD

Email: psltsi@comcast.net



Big Tex 5' x 10' Landscape Utility Trailer

Stock#: 229A	Year: 2023	Manufacturer: Big Tex Trailers	
Width: 120" or 10'0"	Length: 60" or 5'0"	Weight: 800	
GVWR: 3000	Payload: 2200	Color: BLACK	
#Axles: 1	Axle Capacity: 3500.00		
URL: https://psltrailers.com/b	ig-tex-5-x-10-landscape-utility-trailer-DWu.h	ntml	

Price	Call For Price

Description

The 60"-wide 30SA Single Axle Utility Trailer from Big Tex is ideal for home and garden use. An angled frame and professional-grade finish provide the confidence for hauling large ATVs and zero-turn mowers with ease.

Specifications:

AXLE - 3,500# EZ Lube Axle w/ Brake Flanges

JACK - 2,000# Top Wind, Set-Back Jack

TIRE - ST205/75R-15 Load Range C

FLOOR - 2" Treated Pine or Douglas Fir*

FRAME - 3" x 2" x 3/16" Angle

WHEEL - 15" x 5; Black Spoke, 5 on 5 Bolt Pattern

FINISH - Superior Quality Finish is Applied for a Highly Decorative and Protective Finish

LIGHTS - L.E.D. D.O.T. Stop, Tail, Turn & Clearance

TONGUE - 3" Channel

FENDERS - 9" x 32" Rolled Formed w/ Back G.V.W.R. - 2,995# TOP RAIL - 2" Pipe UPRIGHTS - 15" Tall Angle, 1-1/2" Angle ELEC. PLUG - 4-Way Flat w/ Loom HITCH TYPE - Bumper Pull SUSPENSION - Multi-Leaf Spring CROSSMEMBERS - 3" x 2" x 3/16" Angle FINISH (Prep) - Steel is Cleaned to Ensure a Professional, Smooth Finish SAFETY CHAINS - 1/4" Grd. 30 w/ Safety Latch Hook (2 ea) G.A.W.R. (Ea. Axle) - 2,995# THE 30SA ALSO COMES EQUIPPED WITH: (4) Tie Down Loops Inside Bed Set Back Jack EZ Lube Hubs **Dexter Brand Axle** Pipe Top Rail **Grommet Mount Sealed Lighting** L.E.D. Lighting Package **Protected Wiring Radial Tires** Brake Flanges on Axle for Easy Brake Addition Removable Sand Foot on Jack A-Frame Channel Tongue We have over 300 trailers in stock. Stop in and let us show you around. Or call us at 410-335-2218. Picture posted with ad is model but may not be representative of actual colors/options.

COUPLER - 2" A-Frame

Pricing, specs and availability are subject to change. We are not responsible for typographical errors.					